

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

* 1 Identification

- **Product Identifier**
- **Trade Name: F-70 Flowable**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:** Fertilizer
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Redox Chemicals LLC
130 South 100 West
PO Box 129
Burley, ID 83318
Phone: 208-678-2610
Fax: 208-677-3609
- **Emergency telephone number:** 208-678-2610

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
Aquatic Acute 3 H402 Harmful to aquatic life.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:**
H402 Harmful to aquatic life.
- **Precautionary statements:**
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
9 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

| | | |
|------------|---|---------------------|
| HEALTH | 0 | Health = *0 |
| FIRE | 0 | Fire = 0 |
| REACTIVITY | 0 | Physical Hazard = 0 |

- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.
- **Dangerous Components:**

| | | |
|------------|---|------|
| 68514-28-3 | Potassium Humate | 6-8% |
| | ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | |

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable

| | | |
|-----------|--|-------|
| 7664-93-9 | Sulfuric acid ⚠ Skin Corr. 1A, H314 | ≤2.5% |
| 1336-21-6 | Ammonium Hydroxide vPvB ⚠ Acute Tox. 3, H331; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302 | ≤2.5% |

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

Description of first aid measures

- **General information:** If symptoms persist, call a physician.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation occurs, consult a doctor.
- **After eye contact:**
If eye irritation occurs, consult a doctor.
Rinse opened eye for several minutes under running water.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-Fighting Measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

PAC-1:

| | | |
|-----------|------------------------------------|------------------------|
| 7664-93-9 | Sulfuric acid | 0.20 mg/m ³ |
| 7758-11-4 | Dipotassium Hydrogenorthophosphate | 13 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 61 ppm |

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable

| | | |
|-----------------|------------------------------------|-----------------------|
| · PAC-2: | | |
| 7664-93-9 | Sulfuric acid | 8.7 mg/m ³ |
| 7758-11-4 | Dipotassium Hydrogenorthophosphate | 140 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 330 ppm |
| · PAC-3: | | |
| 7664-93-9 | Sulfuric acid | 160 mg/m ³ |
| 7758-11-4 | Dipotassium Hydrogenorthophosphate | 830 mg/m ³ |
| 1336-21-6 | Ammonium Hydroxide | 2,300 ppm |

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

| | |
|--------------------------------|--|
| 7664-93-9 Sulfuric acid | |
| PEL | Long-term value: 1 mg/m ³ |
| REL | Long-term value: 1 mg/m ³ |
| TLV | Long-term value: 0.2* mg/m ³ *as thoracic fraction |

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Goggles recommended during refilling.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable

- **Limitation and supervision of exposure into the environment:**
Keep away from drains, surface and ground waters.
Avoid release into the environment.

* 9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Liquid Suspension

Color: Black

- **Odor:** Slight

- **Odor threshold:** Not determined.

- **pH-value @ 20 °C (68 °F):** 3.1-4.1

- **Change in condition**

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not determined.

- **Flash point:** None

- **Flammability (solid, gaseous):** Not applicable.

- **Ignition temperature:** Not applicable

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not self-igniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

- **Vapor pressure:** Not determined.

- **Density:**

Relative density: Not determined.

Vapor density: Not determined.

Evaporation rate: Not determined.

- **Solubility in / Miscibility with:**

Water: Fully miscible.

- **Partition coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

- **Solvent content:**

VOC content: 0.00 %

- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable

- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7664-93-9 Sulfuric acid

| | | |
|--|---------------|-------------------|
| Oral | LD50 Oral | 2,140 ml/kg (Rat) |
| Inhalative | LC50/96 hours | 375 mg/l (Rat) |
| Sulfuric acid is harmful by all routes of entry. | | |

1336-21-6 Ammonium Hydroxide

| | | |
|---|---------------|-----------------------|
| Oral | LD50 | 350 mg/kg (RAT) |
| Remarks: Gastrointestinal: Other changes. Liver: Other changes. Kidney, Ureter, Bladder: Other changes. | | |
| Inhalative | LC50/96 hours | 8.2 mg/l (Pimephales) |

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
 - Group 1 - Carcinogenic to humans
 - Group 2A - Probably carcinogenic to humans
 - Group 2B - Possibly carcinogenic to humans
 - Group 3 - Not classifiable as to its carcinogenicity to humans
 - Group 4 - Probably not carcinogenic to humans

| | | |
|-----------|---------------|-----------|
| 7664-93-9 | Sulfuric acid | 7664-93-9 |
|-----------|---------------|-----------|

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**
Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

7664-93-9 Sulfuric acid

EC50 22 mg/l (Daphnia)

1336-21-6 Ammonium Hydroxide

EC50 0.66 mg/l (Daphnia)
0.66 mg/l (Water flea)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable

| | | |
|--|--------------------|------------|
| · Hazardous Air Pollutants | | |
| None of the ingredients are listed. | | |
| · California Proposition 65: | | |
| · Chemicals known to cause cancer: | | |
| None of the ingredients are listed. | | |
| · Chemicals known to cause reproductive toxicity for females: | | |
| None of the ingredients are listed. | | |
| · Chemicals known to cause reproductive toxicity for males: | | |
| None of the ingredients are listed. | | |
| · Chemicals known to cause developmental toxicity: | | |
| None of the ingredients are listed. | | |
| · New Jersey Right-to-Know List: | | |
| 7664-93-9 | Sulfuric acid | |
| 1336-21-6 | Ammonium Hydroxide | |
| · New Jersey Special Hazardous Substance List: | | |
| 7664-93-9 | Sulfuric acid | CA, CO, R2 |
| 1336-21-6 | Ammonium Hydroxide | CO |
| · Pennsylvania Right-to-Know List: | | |
| 7664-93-9 | Sulfuric acid | |
| 1336-21-6 | Ammonium Hydroxide | |
| · Pennsylvania Special Hazardous Substance List: | | |
| 7664-93-9 | Sulfuric acid | E |
| 1336-21-6 | Ammonium Hydroxide | E |
| · Carcinogenic categories: | | |
| · EPA (Environmental Protection Agency): | | |
| None of the ingredients are listed. | | |
| · TLV (Threshold Limit Value established by ACGIH): | | |
| 7664-93-9 | Sulfuric acid | A2 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health): | | |
| None of the ingredients are listed. | | |
| · GHS label elements | | |
| The product is classified and labeled according to the Globally Harmonized System (GHS). | | |
| · Hazard pictograms: Non-Regulated Material | | |
| · Signal word: Non-Regulated Material | | |
| · Hazard statements: | | |
| H402 Harmful to aquatic life. | | |
| · Precautionary statements: | | |
| P273 Avoid release to the environment. | | |
| P501 Dispose of contents/container in accordance with local/regional/national/international regulations. | | |
| · National regulations: | | |
| None of the ingredients are listed. | | |
| · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | | |

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 08/27/2020

Reviewed on 08/27/2020

Trade Name: F-70 Flowable**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of last revision/ revision number:** 08/27/2020 / 1

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106